



- EX. CON. MANHOLE
- EX. ECC. MANHOLE
- EX. LIFT STATION
- EX. CLEAN OUT
- EX. FIRE HYDRANT
- EX. WATER SERVICE
- EX. WATER VALVE
- EX. YARD HYDRANT
- EX. CATCH BASIN
- EX. STORM INLET
- EX. NATURAL GAS VALVE
- EX. NATURAL GAS METER
- EX. POWER POLE
- EX. LIGHT POLE
- EX. WARNING SIREN
- EX. TEL. PEDESTAL
- EX. MAILBOX
- EX. LP TANK
- EX. SATELLITE DISH
- EX. POST OR POLE
- EX. STREET SIGN
- EX. EVERGREEN TREE
- EX. DECIDUOUS TREE
- EX. TREE STUMP
- EX. BUSH/SHRUB
- EX. TREE/BRUSH LINE
- EX. WINDMILL
- EX. PARK BENCH
- EX. BENCHMARK
- SURVEY CONTROL POINT
- EX. PROPERTY PIN
- RIGHT-OF-WAY
- PROPERTY LINE
- PUBLIC INFRASTRUCTURE EASEMENT
- EX. SAN. S. LATERAL
- EX. 6" SAN. S. MAIN
- EX. 8" SAN. S. MAIN
- EX. 10" SAN. S. MAIN
- EX. 12" SAN. S. MAIN
- EX. 15" SAN. S. MAIN
- EX. 4" WATER MAIN
- EX. 6" WATER MAIN
- EX. 8" WATER MAIN
- EX. 10" WATER MAIN
- EX. 12" WATER MAIN
- EX. 12" STORM SEWER
- EX. 15" STORM SEWER
- EX. 18" STORM SEWER
- EX. 24" STORM SEWER
- EX. 27" STORM SEWER
- EX. 30" STORM SEWER
- EX. 36" STORM SEWER
- EX. 42" STORM SEWER
- EX. 48" STORM SEWER
- EX. CURB AND GUTTER
- EX. U.GRD N. GAS UTILITY
- EX. U.GRD ELECTRIC UTILITY
- EX. U.GRD CABLE TV UTILITY
- EX. U.GRD TELEPHONE UTILITY
- EX. U.GRD FIBER OPTIC UTILITY
- EX. OVERHEAD ELECTRIC
- EX. FENCE
- EX. RAILROAD TRACKS
- EX. CONTOUR
- EX. DRAINAGE SWALE

- PROP. SANITARY SEWER LATERAL
- PROP. <6" SANITARY SEWER MAIN
- PROP. 6" SANITARY SEWER MAIN
- PROP. 8" SANITARY SEWER MAIN
- PROP. 10" SANITARY SEWER MAIN
- PROP. 12" SANITARY SEWER MAIN
- PROP. 15" SANITARY SEWER MAIN
- PROP. 18" SANITARY SEWER MAIN
- PROP. CIPP LINER
- PROP. FLOW DIRECTION
- PROP. WATER SERVICE
- PROP. <4" WATER MAIN
- PROP. 4" WATER MAIN
- PROP. 6" WATER MAIN
- PROP. 8" WATER MAIN
- PROP. 10" WATER MAIN
- PROP. 12" WATER MAIN
- PROP. 15" WATER MAIN
- PROP. <12" STORM SEWER
- PROP. 12" STORM SEWER
- PROP. 15" STORM SEWER
- PROP. 18" STORM SEWER
- PROP. 24" STORM SEWER
- PROP. 30" STORM SEWER
- PROP. 36" STORM SEWER
- PROP. 48" STORM SEWER
- PROP. CURB AND GUTTER
- PROP. CURB BACK OPENING
- PROP. 4" SLOPED CURB & GUTTER
- PROP. U.GRD GAS UTILITY
- PROP. U.GRD ELECTRIC UTILITY
- PROP. U.GRD CABLE TV UTILITY
- PROP. U.GRD TELEPHONE UTILITY
- PROP. U.GRD FIBER OPTIC UTILITY
- PROP. OVERHEAD ELECTRIC
- PROP. CROSSING OF N. GAS UTILITY
- PROP. UTILITY POLE
- PROP. LIGHT POLE
- PROP. FENCE
- TEMPORARY EASEMENT
- CONSTRUCTION EASEMENT
- ESTIMATED DISTURBANCE LIMITS
- PROP. CONTOUR
- PROP. DRAINAGE SWALE
- PROP. SILT FENCE
- PROP. EROSION CONTROL
- SEDIMENT LOG
- PROP. PAVEMENT MARKING
- PAINTED TRAFFIC ARROW
- ADA PARKING DESIGNATION
- PARKING STALL COUNT
- RADIUS POINT/SIZE
- STA. ON CENTERLINE
- PROP. HANDICAP RAMP WITH
- DETECTABLE WARNING FIELD
- SOIL BORING LOCATION
- RIVER FLOW DIRECTION
- PROP. 4" DIA. SANITARY MANHOLE
- PROP. 5" DIA. SANITARY MANHOLE
- PROP. MANHOLE CHIMNEY
- REHABILITATION / TOP ADJUSTMENT
- PROP. SANITARY LIFT STATION

- PROP. TYPE "X" CURB & GUTTER
- PROP. REVERSE-PITCH CURB & GUTTER
- PROP. HOT MIX ASPHALT PAVEMENT (DRIVEWAY)
- PROP. 4" CONCRETE SIDEWALK
- PROP. 6" CONCRETE PAVEMENT
- PROP. 8" CONCRETE PAVEMENT
- PROP. GRAVEL SHOULDER / DRIVEWAY
- EROSION MATTING (MILD SLOPES)
- EROSION MATTING (STEEP SLOPES)
- PROP. REGRADING AND LANDSCAPING
- PROP. RIP-RAP
- PROP. STORM STRUCTURES - PROFILE
- PROP. STORM PIPE(RCP) - PROFILE
- PROP. STORM PIPE(CMP OR HDPE) - PROFILE
- PROP. SANITARY STRUCTURE - PROFILE
- PROP. WATER MAIN PIPE - PROFILE
- PROP. CLAY LINER - PROFILE
- PROP. SANITARY SEWER FORCE MAIN - PROFILE
- PROP. SPOT REPAIR - PROFILE / PLAN VIEW
- PROP. CASING PIPE - PROFILE
- PROP. CLEARING AND GRUBBING
- PROP. BUILDING REMOVAL
- PROP. SIDEWALK REMOVAL
- PROP. PRESSURE-REDUCING VALVE STATION
- PROP. FIRE HYDRANT
- PROP. WATER SERVICE
- PROP. WATER SERVICE WITH VALVE BOX SLEEVE
- PROP. WATER VALVE
- PROP. WATER BEND - HORIZONTAL
- PROP. WATER BEND - VERTICAL
- PROP. WATER BEND <5°
- PROP. WATER TEE
- PROP. WATER CROSS
- PROP. WATER REDUCER
- PROP. MJ PLUG
- PROP. 4" DIA. STORM MANHOLE
- PROP. 5" DIA. STORM MANHOLE
- PROP. INLET
- PROP. 4" DIA. INLET
- PROP. 6" DIA. INLET
- PROP. 4" DIA. CATCH BASIN- W/ 2'X3' CASTING
- PROP. 5" DIA. CATCH BASIN- W/ 2'X3' CASTING
- PROP. 6" DIA. CATCH BASIN- W/ 2'X3' CASTING
- PROP. 4'X6' CATCH BASIN W/2'X3' CASTING
- PROP. CURB OPENING CASTING
- PROP. 2'X3' CATCH BASIN
- PROP. ADJUSTED CATCH BASIN TOP
- PROP. WISDOT TYPE 8 INLET
- PROP. WISDOT TYPE 9 INLET
- PROP. CMP ENDWALL
- PROP. RCP ENDWALL

**KEY NOTES 100 :**

- 100 PROPOSED SILT FENCE FOR EROSION CONTROL.
- 101 PROPOSED SEDIMENT LOG FOR EROSION CONTROL.
- 102 PROPOSED TRACKING PAD FOR EROSION CONTROL.
- 103 RE-GRADE YARD/DITCH LINE (MIN. SLOPE 1.0%).
- 104 PROPOSED EROSION MAT CLASS I, TYPE 'B'.
- 105 INSTALL TYPE 'D' INLET PROTECTION.
- 106 PROPOSED MAIL BOX RELOCATION.
- 107 ITEM TO REMAIN.
- 108 CONTRACTOR TO REMOVE ITEM.
- 109 REMOVE AND SALVAGE TO OWNER IN PRE-CONSTRUCTION CONDITION.
- 200 PROPOSED SANITARY SEWER [SIZE].
- 201 NEW SANITARY SEWER LATERAL [SIZE].
- 202 REPLACE EXISTING SANITARY SEWER LATERAL.
- 203 RECONNECT EXISTING SANITARY SEWER LATERAL.
- 204 CONNECTION TO EXISTING SANITARY SEWER PIPE/STRUCTURE.
- 205 REMOVE EXISTING SANITARY SEWER PIPE /STRUCTURE.
- 206 REHABILITATE SANITARY MANHOLE; SEE TABLE 'B'.
- 207 SANITARY SEWER SPOT REPAIR.
- 208 ABANDON AND CAP EXISTING SANITARY SEWER W/ CONCRETE SLURRY.
- 209 ABANDON EXISTING SANITARY SEWER LATERAL.
- 210 CONTRACTOR TO FIELD VERIFY SANITARY SEWER LATERAL LOCATION/ACTIVITY AND REPLACE ACCORDING TO ENGINEER.
- 211 REPLACE SANITARY LATERAL W/ CLEAN OUT.
- 300 PROPOSED WATER MAIN [SIZE].
- 301 NEW WATER SERVICE [SIZE].
- 302 REPLACE EXISTING WATER SERVICE [SIZE].
- 303 RECONNECT EXISTING WATER SERVICE [SIZE].
- 304 DIRECTIONAL DRILL PROPOSED WATER SERVICE.
- 305 CONNECTION TO EXISTING WATER MAIN.
- 306 EXISTING HYDRANT TO BE REMOVED AND SALVAGED TO OWNER.
- 307 REMOVE EXISTING WATER MAIN VALVE BOX/STRUCTURE.
- 308 ADJUST EXISTING WATER MAIN VALVE BOX.
- 309 ABANDON, DRAIN, & CAP EXISTING WATER MAIN.
- 310 ABANDON EXISTING WATER SERVICE.
- 311 CONTRACTOR TO FIELD VERIFY WATER SERVICE LOCATION/ACTIVITY AND REPLACE ACCORDING TO ENGINEER.
- 312 CONTRACTOR TO PROVIDE 4" POLYSTYRENE INSULATION.
- 313 HYDRANT DRAIN PORT TO BE PLUGGED DUE TO HIGH WATER TABLE.
- 400 PROPOSED STORM SEWER [SIZE].
- 401 CONNECT EXISTING ROOF DRAIN TO CURB OPENING/STRUCTURE [SIZE].
- 402 CONNECTION TO EXISTING STORM SEWER PIPE/STRUCTURE.
- 403 REMOVE EXISTING STORM SEWER PIPE/STRUCTURE.
- 404 ABANDON & CAP EXISTING STORM SEWER.
- 405 ADJUST EXISTING STORM STRUCTURE.
- 406 LARGE RIP RAP OVER FABRIC.
- 407 FIELD VERIFY LOCATION AND DEPTH OF PIPE.
- 408 REHABILITATE STORM STRUCTURE; SEE TABLE 'E'.
- 409 PROPOSED CONCRETE FLUME.
- 410 NEW STORM SEWER LATERAL [SIZE].
- 411 RECONNECT STORM SEWER LATERAL [SIZE].
- 412 PROPOSED ROAD BASE DRAINAGE SYSTEM. SEE DETAIL.
- 500 TREE & STUMP TO BE REMOVED (LESS THAN 12").
- 501 TREE & STUMP TO BE REMOVED (12" & GREATER).
- 502 SHRUB TO BE REMOVED.
- 503 CLEAR AND GRUB BRUSH LINE AS NECESSARY TO COMPLETE CONSTRUCTION. ALL CLEARING TO BE VERIFIED BY PROJECT ENGINEER.
- 504 REMOVE AND REINSTALL/REPLACE EXISTING LANDSCAPING, FENCE, RETAINING WALL, ETC. (IF NECESSARY).
- 505 REMOVE EXISTING LANDSCAPING, FENCE, RETAINING WALL, ETC.
- 506 POLE/PEDESTAL TO BE SECURED BY UTILITY COMPANY DURING CONSTRUCTION.
- 507 POLE TO BE RELOCATED BY UTILITY COMPANY.
- 508 GUY WIRE TO BE RELOCATED BY UTILITY COMPANY.
- 509 PEDESTAL/HANDHOLE TO BE RELOCATED BY UTILITY COMPANY.
- 510 UTILITY CONFLICT - TO BE RELOCATED/ADJUSTED BY UTILITY COMPANY.
- 511 POTENTIAL UTILITY CONFLICT - VERIFY WITH UTILITY COMPANY.
- 512 CAUTION! - UTILITY CROSSING.
- 513 PROVIDE AND INSTALL DECORATIVE LANDSCAPE ROCK.
- 514 POLE TO BE REMOVED BY UTILITY COMPANY.
- 600 REMOVE EXISTING CURB & GUTTER.
- 601 PROPOSED 24" CONCRETE CURB & GUTTER.
- 602 PROPOSED 30" CONCRETE CURB & GUTTER.
- 603 PROPOSED 36" CONCRETE CURB & GUTTER.
- 604 MATCH TO EXISTING CURB & GUTTER.
- 605 PROVIDE TYPE 'X' CURB.
- 606 PROVIDE REVERSE-PITCH CURB & GUTTER.
- 607 PROVIDE CURB TAPER.
- 608 REMOVE ASPHALT/CONCRETE/WALL/STEPS/GRAVEL.
- 609 PROPOSED 4" CONCRETE SIDEWALK.
- 610 PROPOSED 6" CONCRETE SIDEWALK/DRIVEWAY.
- 611 PROPOSED 6" CONCRETE PAVEMENT.
- 612 PROPOSED 8" CONCRETE PAVEMENT.
- 613 PROPOSED CONCRETE STEPS. STEP RISE HEIGHT AND STEP TREAD DEPTH SHALL MEET APPLICABLE BUILDING CODES. CONTRACTOR SHALL CONFIRM REQUIRED NUMBER OF STEPS WITH PROJECT ENGINEER PRIOR TO INSTALL.
- 614 PROPOSED GRAVEL SHOULDER.
- 615 REGRADE EXISTING GRAVEL.
- 616 PROPOSED GRAVEL DRIVEWAY.
- 617 REMOVE & REPLACE GRAVEL DRIVEWAY.
- 618 REMOVE GRAVEL DRIVEWAY & REPLACE WITH BITUMINOUS DRIVEWAY/APRON.
- 619 REMOVE & REPLACE HMA PAVEMENT.
- 620 REMOVE & REPLACE HMA PAVEMENT DRIVEWAY.
- 621 PROPOSED HMA PAVEMENT.

**TRAFFIC CONTROL NOTE:**

ALL CONTRACTORS MUST CONFORM TO THE MANUAL OF UNIFORM TRAFFIC CONTROL DEVICES (MUTCD) AND THE REQUIREMENTS OF THE WISCONSIN DEPARTMENT OF TRANSPORTATION. ONE LANE OF TRAFFIC MUST REMAIN OPEN DURING AND AFTER ALL CONSTRUCTION ACTIVITIES FOR EMERGENCY VEHICLE ACCESS.

**STREET SIGN NOTE:**

CONTRACTOR WILL BE RESPONSIBLE FOR REMOVING, STORING, AND RESETING ALL PERMANENT SIGNS. CONTRACTOR IS RESPONSIBLE FOR PROTECTING ALL EXISTING SIGNS UNTIL REMOVED. CONTRACTOR IS RESPONSIBLE FOR ANY AND ALL TEMPORARY SIGNS THAT MAY BE REQUIRED.

**TRAFFIC SIGN NOTE:**

CONTRACTOR TO PROVIDE TEMPORARY TRAFFIC SIGNS FOR ANY TRAFFIC SIGNS DISTURBED DURING CONSTRUCTION. ALL DISTURBED TRAFFIC SIGNS MUST BE REPLACED AND INSTALLED AS PER LOCAL REGULATIONS AT THE COMPLETION OF THE PROJECT.

**EROSION CONTROL NOTE:**

CONTRACTOR TO INSTALL BACKFILL MATERIAL INTO THE EXCAVATED TRENCH AS SOON AS POSSIBLE TO IMPLEMENT EROSION CONTROL.

**PROPERTY LINE AND RIGHT-OF-WAY NOTE:**

ALL RIGHT-OF-WAYS AND PROPERTY LINES SHOWN ARE APPROXIMATE AND FOR ILLUSTRATIVE PURPOSES ONLY. A PROPERTY SURVEY PERFORMED BY A PROFESSIONAL LAND SURVEYOR SHOULD BE COMPLETED TO DETERMINE THE ACTUAL PROPERTY LINE AND RIGHT-OF-WAY LOCATIONS.

**MAILBOX RELOCATION NOTE:**

CONTRACTOR TO RELOCATE EXISTING MAILBOXES DURING CONSTRUCTION (COORDINATE AND VERIFY WITH LOCAL POSTAL SERVICE ON LOCATION). RESET BEHIND CURB AND GUTTER OR SHOULDER ACCORDING TO THE REQUIREMENTS OF THE LOCAL POSTMASTER UPON COMPLETION OF STREET CONSTRUCTION.

**TREE TRIMMING NOTE:**

CONTRACTOR TO PROPERLY TRIM ALL TREE BRANCHES, ROOTS, AND BUSHES DISTURBED DUE TO SANITARY SEWER, WATER SYSTEM, STORM SEWER, AND STREET CONSTRUCTION.

**TREE REMOVAL NOTE:**

CONTRACTOR TO CONTACT ENGINEER OR OWNER FOR VERIFICATION PRIOR TO ANY TREE REMOVAL.

**SAW CUT NOTE:**

CONTRACTOR TO PROVIDE FULL DEPTH SAW CUTS AND REPLACE PAVEMENT.

**UTILITIES' NOTE:**

THE LOCATIONS OF THE UNDERGROUND UTILITIES SHOWN ON THE PLAN HAVE BEEN OBTAINED BY FIELD CHECKS. A UTILITY LOCATE THROUGH DIGGER'S HOTLINE, AND SEARCHES OF AVAILABLE RECORDS. IT IS BELIEVED THAT THEY ARE ESSENTIALLY CORRECT, BUT THE SURVEYOR DOES NOT GUARANTEE THEIR ACCURACY OR COMPLETENESS. THE CONTRACTOR SHOULD VERIFY LOCATIONS W/ THE UTILITY COMPANIES AND OWNER PRIOR TO STARTING ANY EXCAVATION.

**SANITARY SEWER LATERAL NOTE:**

THE LOCATION OF EXISTING SANITARY SEWER LATERALS ARE APPROXIMATE. THE CONTRACTOR SHALL VERIFY THE LOCATION AND STATUS OF EACH SANITARY SEWER LATERAL ENCOUNTERED. ONLY ACTIVE SANITARY SEWER LATERALS SHALL BE CONNECTED TO THE NEW SANITARY SEWER MAIN.

- 622 MATCH TO EXISTING EDGE PAVEMENT.
- 623 PROPOSED RESIDENTIAL HMA PAVEMENT DRIVEWAY.
- 624 PROPOSED COMMERCIAL HMA PAVEMENT DRIVEWAY.
- 625 REMOVE & REPLACE 4" CONCRETE SIDEWALK.
- 626 REMOVE & REPLACE 6" CONCRETE SIDEWALK/DRIVEWAY.
- 627 PROPOSED HANDICAP RAMP WITH - D. WARN. FIELD [S.F.].
- 628 SAW CUT PCC PAVEMENT.
- 629 SAW CUT HMA PAVEMENT.
- 630 PROPOSED BITUMINOUS WEDGE CURB.
- 631 UNUSED.
- 633 PROVIDE CONCRETE BREAK OUT FOR SIGN INSTALLATION.
- 800 PROPOSED SOLID 4" SINGLE LINE (WHITE).
- 801 PROPOSED SOLID 4" SINGLE LINE (YELLOW).
- 811 PROPOSED ADA PARKING.
- 813 PROPOSED SOLID 6" SINGLE LINE (WHITE).
- 900 PROPOSED 16" BASE. SEE TABLE FOR POLE ASSEMBLY TYPE.
- 901 PROPOSED 1-1/2" CONDUIT (EMPTY).
- 902 PROPOSED DECORATIVE STREET SIGN POLE (MATERIALS PROVIDED BY OWNER).

**NOTES:**

**CASTING NOTE:**  
ALL EXISTING MANHOLE CASTINGS AND STORM SEWER CASTINGS TO BE REMOVED AND/OR REPLACED SHALL BE SALVAGED TO THE OWNER.

**WATER SYSTEM NOTE:**  
CONTRACTOR TO SALVAGE EXISTING HYDRANTS TO BE REMOVED TO THE OWNER. REMOVE EXISTING HYDRANTS TO A MINIMUM DEPTH OF 4'-0" OR SALVAGE IN WORKING CONDITION (AS SPECIFIED BY THE ENGINEER).

**TRACER WIRE NOTE:**  
TRACER WIRE (1/2 GAUGE) TO BE INSTALLED WITH ALL POLYVINYL CHLORIDE (PVC) WATER MAIN.

**CABLE-BOND NOTE:**  
ALL PROPOSED CLASS 52 DUCTILE IRON PIPE WATER MAIN TO BE CABLE-BOND.

**WATER SERVICE NOTE:**  
CONTRACTOR TO VERIFY STATUS AND LOCATION OF EACH WATER SERVICE ENCOUNTERED. CONTRACTOR TO REPLACE ACCORDING TO ENGINEER. ONLY ACTIVE WATER SERVICES SHALL BE CONNECTED TO THE NEW WATER MAIN.

**GALVANIZED/LEAD WATER SERVICE NOTE:**  
HOME OWNER TO REPLACE EXISTING LEAD WATER SERVICE FROM END OF CONTRACT #1 TO HOUSE. CONTRACT #1 TO COORDINATE WATER SERVICE REPLACEMENT WITH HOMEOWNER'S PRIVATE CONTRACTOR.

**SITE RESTORATION NOTE:**  
CONTRACTOR WILL BE RESPONSIBLE FOR REPLACEMENT OF ALL DISTURBED PROJECT AREA COMPONENTS INCLUDING, BUT NOT LIMITED TO, EXISTING CONCRETE, BITUMINOUS PAVEMENT, GRAVEL, CULVERTS, WATER AND SANITARY SEWER SYSTEM COMPONENTS, STORM SEWER SYSTEM COMPONENTS, TREES, LAWN ORNAMENTS, FENCING, YARD LANDSCAPING, RETAINING WALLS, MAILBOXES, AND LANDSCAPE AREAS.

**PROPERTY DAMAGES:**  
THE CONTRACTOR IS RESPONSIBLE FOR THE PRESERVATION OF ADJACENT PROPERTY AND FOR ANY DAMAGE TO THE SITE OR TO ADJACENT PROPERTY INCIDENTAL TO THE CONSTRUCTION ACTIVITIES. AFTER THE COMPLETION OF CONSTRUCTION, ANY AREAS ADJACENT TO THE CONSTRUCTION SITE DAMAGED BY THE CONTRACTOR DURING EXECUTION OF THE CONTRACT SHALL BE RESTORED TO MATCH THE PRECONSTRUCTION CONDITIONS.

DISCIPLINE	DESIGNATION
REMOVAL	R
GENERAL	G
CIVIL	C
LANDSCAPE	L
AQUATIC	AQ
ARCHITECTURAL	A
STRUCTURAL	S
ELECTRICAL	E
INSTRUMENTATION/CONTROLS	N
PROCESS	D
PLUMBING	P
HVAC /MECHANICAL	M

DISCIPLINE DESIGNATORS	
TYPE	DESIGNATION
NOTES & SCHEDULES	0
PLANS	1
ELEVATIONS & DETAILS	2
CROSS-SECTIONS	3
DIAGRAMS	4

**DRAWING SHEET DESIGNATION**

C102	DRAWING NUMBER
	DRAWING SHEET DESIGNATION
	DISCIPLINE DESIGNATION
	(MAY HAVE MULTIPLE)

**SHEET NUMBER IDENTIFICATION**

**ENGINEER:**

**DELTA 3**

EVERY ANGLE COVERED

PROFESSIONAL, CIVIL, MECHANICAL & STRUCTURAL ENGINEERING

GRANT WRITING • LAND DEVELOPMENT • PLANNING & CAD SERVICES

875 SOUTH CHESTNUT STREET PLATEAU, WISCONSIN 53119 PHONE: (608) 348-5355

888 JACKSON STREET DEBUIRE, IOWA 52001 PHONE: (563) 342-9005

**FOR QUESTIONS REGARDING THIS PROJECT, PLEASE CONTACT:**

**MR. MARK DIGMAN, P.E.**  
DELTA 3 ENGINEERING, INC.  
TELEPHONE: (608) 348-5355

**CONSENT STATEMENT**

ALL RIGHTS RESERVED, AND NO REPRODUCTION WITHOUT CONSENT. ALL DRAWINGS, SPECS, REPORTS, DATA, AND OTHER DOCUMENTS CONTAINED ON THIS PLAN SHEET ARE CREATED BY AND FOR DELTA 3 ENGINEERING AND THEIR CLIENTS' USE. REPRODUCTION, OR DISTRIBUTION OF ANY CONTENT HEREIN, IN ANY FORM, WHETHER PRINTED, ELECTRONIC, OR OTHERWISE, REQUIRES THE EXPLICIT WRITTEN PERMISSION OF THE OWNER.

**PROPOSED 2026 INFRASTRUCTURE IMPROVEMENTS - MINERAL POINT**

**MINERAL POINT, WISCONSIN**

PROJECT LOCATION: SOUTH STREET, COMMERCE STREET, OLD DARLINGTON ROAD  
OWNER: CITY OF MINERAL POINT, 137 HIGH STREET, MINERAL POINT, WI 53665

**REVISIONS:**

NO.	DATE	DESCRIPTION

AS-BUILT: \_\_\_\_\_ BY: \_\_\_\_\_

**FOR BID**

PROJECT NUMBER	D25-001
SHEET SCALE	SEE BAR SCALE
DRAWN BY	C. COVIER
DATE ISSUED	FEBRUARY 9, 2026
SHEET DESC.	LEGEND & GENERAL NOTES


**SHEET TITLE:**

**G001**

SHEET NUMBER # 02 of 28

NOTE: PARKING OF EQUIPMENT, WORK VEHICLES, OR WORKER PERSONAL VEHICLES IS NOT PERMITTED ON COMMERCE STREET FROM DOTY STREET TO FOUNTAIN STREET.

NOTE: CONTRACTOR TO COORDINATE CONSTRUCTION ACTIVITIES WITH 103 COMMERCE STREET CONTRACTOR AND THEIR PROPOSED RETAINING WALL, 6" WATER SERVICE, STORM SEWER, NATURAL GAS, UNDERGROUND ELECTRIC, AND SITE GRADING WORK.





ENGINEER:  
**DELTA 3**  
 EVERY ANGLE COVERED  
 PROFESSIONAL, CIVIL, MECHANICAL & STRUCTURAL ENGINEERING  
 GRANT WRENSHAW DEVELOPMENT - PLANNING & CAD SERVICES  
 875 SOUTH CHESTNUT STREET PHONE: (608) 348-5355  
 PLATEVILLE, WISCONSIN 53181  
 888 JACKSON STREET PHONE: (608) 348-9005  
 DEBUILLE, IOWA 52001

FOR QUESTIONS REGARDING THIS PROJECT, PLEASE CONTACT:

**MR. MARK DIGMAN, P.E.**  
 DELTA 3 ENGINEERING, INC.  
 TELEPHONE: (608) 348-5355

**CONSENT STATEMENT**  
 ALL RIGHTS RESERVED, AND NO REPRODUCTION WITHOUT CONSENT. ALL DRAWINGS, SPECS, REPORTS DATA AND OTHER DOCUMENTS CONTAINED ON THIS PLAN SHEET ARE CREATED BY AND FOR DELTA 3 ENGINEERING AND THEIR CLIENTS' USE. REPRODUCTION OR DISTRIBUTION OF ANY CONTENT HEREIN, IN ANY FORM, WHETHER PRINTED, ELECTRONIC, OR OTHERWISE, REQUIRES THE EXPLICIT WRITTEN PERMISSION OF THE OWNER.



**PROPOSED 2026 INFRASTRUCTURE IMPROVEMENTS - MINERAL POINT**  
 MINERAL POINT, WISCONSIN  
 PROJECT LOCATION: SOUTH STREET, COMMERCE STREET, OLD DARLINGTON ROAD  
 OWNER: CITY OF MINERAL POINT, 137 HIGH STREET, MINERAL POINT, WI 53565

REVISIONS:		
NO.	DATE	DESCRIPTION

FOR BID	
PROJECT NUMBER	D25-001
SHEET SCALE	SEE BAR SCALE
DRAWN BY	C. COVIER
DATE ISSUED	FEBRUARY 9, 2026
SHEET DESC.	PLAN & PROFILE - S. COMMERCE STREET SAN S & WATER MAIN

SHEET TITLE:  
**C101**  
 SHEET NUMBER # 03 of 28





ENGINEER:  
**DELTA 3**  
 EVERY ANGLE COVERED  
 PROFESSIONAL, CIVIL, MECHANICAL & STRUCTURAL ENGINEERING  
 GRANT WRITING AND DEVELOPMENT • PLANNING & CAD SERVICES  
 875 SOUTH CHESTNUT STREET PHONE: (608) 348-5355  
 PLATEVILLE, WISCONSIN 53181  
 888 JACKSON STREET PHONE: (608) 542-9005  
 DUBLUQUE, IOWA 52001


FOR QUESTIONS REGARDING THIS PROJECT, PLEASE CONTACT:

**MR. MARK DIGMAN, P.E.**  
 DELTA 3 ENGINEERING, INC.  
 TELEPHONE: (608) 348-5355

**CONSENT STATEMENT**  
 ALL RIGHTS RESERVED, AND NO REPRODUCTION WITHOUT CONSENT. ALL DRAWINGS, SPECS, REPORTS DATA AND OTHER DOCUMENTS CONTAINED ON THIS PLAN SHEET ARE CREATED BY AND FOR DELTA 3 ENGINEERING AND THEIR CLIENTS' USE. USE, REPRODUCTION, OR DISTRIBUTION OF ANY CONTENT HEREIN, IN ANY FORM, WHETHER PRINTED, ELECTRONIC, OR OTHERWISE, REQUIRES THE EXPLICIT WRITTEN PERMISSION OF THE OWNER.



1- 6" HYDRANT W/6" HYDRANT LEAD AND 6" GATE VALVE  
 1- 10"X6" CROSS  
 2- 10" GATE VALVES  
 1- 6" GATE VALVE  
 2- 6" 1/8 (45°) BENDS  
 THRUST BLOCKS



**PROPOSED 2026 INFRASTRUCTURE IMPROVEMENTS - MINERAL POINT**  
**MINERAL POINT, WISCONSIN**  
 PROJECT LOCATION: SOUTH STREET, COMMERCE STREET, OLD DARLINGTON ROAD  
 OWNER: CITY OF MINERAL POINT; 137 HIGH STREET, MINERAL POINT, WI 53656

REVISIONS:		
NO.	DATE	DESCRIPTION

AS-BUILT: \_\_\_\_\_ BY: \_\_\_\_\_

FOR BID	
PROJECT NUMBER	D25-001
SHEET SCALE	SEE BAR SCALE
DRAWN BY	C. COVIER
DATE ISSUED	FEBRUARY 9, 2026
SHEET DESC.	PLAN & PROFILE - S. COMMERCE STREET SAN.S AND WATER MAIN

SHEET TITLE:  
**C102**  
 SHEET NUMBER # 04 of 28


FOR QUESTIONS REGARDING THIS PROJECT, PLEASE CONTACT:

**MR. MARK DIGMAN, P.E.**  
 DELTA 3 ENGINEERING, INC.  
 TELEPHONE: (608) 348-5355

**CONSENT STATEMENT**  
 ALL RIGHTS RESERVED, AND NO REPRODUCTION WITHOUT CONSENT. ALL DRAWINGS, SPECS, REPORTS, DATA, AND OTHER DOCUMENTS CONTAINED ON THIS PLAN SHEET ARE CREATED BY AND FOR DELTA 3 ENGINEERING AND THEIR CLIENTS' USE. USE, REPRODUCTION, OR DISTRIBUTION OF ANY CONTENT HEREIN, IN ANY FORM, WHETHER PRINTED, ELECTRONIC, OR OTHERWISE, REQUIRES THE EXPLICIT WRITTEN PERMISSION OF THE OWNER.





MATCH LINE  
 STATION 901+00  
 SEE SHEET C102



NOTE: IF WET AND UNSTABLE SOIL CONDITIONS EXIST, CONTRACTOR TO OVER EXCAVATE OLD DARLINGTON ROAD TO A DEPTH APPROVED BY ENGINEER.

JOHN J HOMAN  
 539 N MAYFLOWER ROAD,  
 LAKE FOREST, IL 60045



**PROPOSED 2026 INFRASTRUCTURE IMPROVEMENTS - MINERAL POINT**  
 MINERAL POINT, WISCONSIN  
 PROJECT LOCATION: SOUTH STREET, COMMERCE STREET, OLD DARLINGTON ROAD  
 OWNER: CITY OF MINERAL POINT, 137 HIGH STREET, MINERAL POINT, WI 53665

REVISIONS:		
NO.	DATE	DESCRIPTION



FOR BID	
PROJECT NUMBER	D25-001
SHEET SCALE	SEE BAR SCALE
DRAWN BY	C.COVIER
DATE ISSUED	FEBRUARY 9, 2026
SHEET DESC.	PLAN & PROFILE - OLD DARLINGTON ROAD

SHEET TITLE:  
**C103**  
 SHEET NUMBER # 05 of 28

FOR QUESTIONS REGARDING THIS PROJECT, PLEASE CONTACT:  
**MR. MARK DIGMAN, P.E.**  
 DELTA 3 ENGINEERING, INC.  
 TELEPHONE: (608) 348-5355

**CONSENT STATEMENT**  
 ALL RIGHTS RESERVED. AND NO REPRODUCTION WITHOUT CONSENT. ALL DRAWINGS, SPECS, REPORTS DATA AND OTHER DOCUMENTS CONTAINED ON THIS PLAN SHEET ARE CREATED BY AND FOR DELTA 3 ENGINEERING AND THEIR CLIENTS' USE. USE, REPRODUCTION, OR DISTRIBUTION OF ANY CONTENT HEREIN, IN ANY FORM, WHETHER PRINTED, ELECTRONIC, OR OTHERWISE, REQUIRES THE EXPLICIT WRITTEN PERMISSION OF THE OWNER.

**PROPOSED 2026 INFRASTRUCTURE IMPROVEMENTS - MINERAL POINT**  
 MINERAL POINT, WISCONSIN  
 PROJECT LOCATION: SOUTH STREET, COMMERCE STREET, OLD DARLINGTON ROAD  
 OWNER: CITY OF MINERAL POINT; 137 HIGH STREET, MINERAL POINT, WI 53565




REVISIONS:		
NO.	DATE	DESCRIPTION

FOR BID	
PROJECT NUMBER	D25-001
SHEET SCALE	SEE BAR SCALE
DRAWN BY	C. COVIER
DATE ISSUED	FEBRUARY 9, 2026
SHEET DESC.	PLAN & PROFILE - SOUTH STREET

SHEET TITLE:  
**C104**  
 SHEET NUMBER # 06 of 28

NOTE: PARKING OF EQUIPMENT, WORK VEHICLES, OR WORKER PERSONAL VEHICLES IS NOT PERMITTED ON COMMERCE STREET FROM DOTY STREET TO FOUNTAIN STREET.

NOTE: CONTRACTOR TO COORDINATE CONSTRUCTION ACTIVITIES WITH 103 COMMERCE STREET CONTRACTOR AND THEIR PROPOSED RETAINING WALL, 6" WATER SERVICE, STORM SEWER, NATURAL GAS, UNDERGROUND ELECTRIC, AND SITE GRADING WORK.




ENGINEER:  
**DELTA 3**  
 EVERY ANGLE COVERED  
 PROFESSIONAL, CIVIL, MECHANICAL & STRUCTURAL ENGINEERING  
 GRANT WRENSHAW DEVELOPMENT & PLANNING & CAD SERVICES  
 875 SOUTH CHESTNUT STREET PHONE: (608) 348-5355  
 PLATEVILLE, WISCONSIN 53591  
 885 JACKSON STREET PHONE: (953) 542-9005  
 DUBLUQUE, IOWA 52001


FOR QUESTIONS REGARDING THIS PROJECT, PLEASE CONTACT:

**MR. MARK DIGMAN, P.E.**  
 DELTA 3 ENGINEERING, INC.  
 TELEPHONE: (608) 348-5355

**CONSENT STATEMENT**  
 ALL RIGHTS RESERVED, AND NO REPRODUCTION WITHOUT CONSENT. ALL DRAWINGS, SPECS, REPORTS DATA AND OTHER DOCUMENTS CONTAINED ON THIS PLAN SHEET ARE CREATED BY AND FOR DELTA 3 ENGINEERING AND THEIR CLIENTS' USE. USE, REPRODUCTION, OR DISTRIBUTION OF ANY CONTENT HEREIN, IN ANY FORM, WHETHER PRINTED, ELECTRONIC, OR OTHERWISE, REQUIRES THE EXPLICIT WRITTEN PERMISSION OF THE OWNER.



NOTE: CONTRACTOR TO COORDINATE RELOCATION OF SHED AND LIQUID PROPANE TANK WITH 6 FOUNTAIN STREET PROPERTY OWNER.



**PROPOSED 2026 INFRASTRUCTURE IMPROVEMENTS - MINERAL POINT**  
**MINERAL POINT, WISCONSIN**  
 PROJECT LOCATION: SOUTH STREET, COMMERCE STREET, OLD DARLINGTON ROAD  
 OWNER: CITY OF MINERAL POINT, 137 HIGH STREET, MINERAL POINT, WI 53565

REVISIONS:		
NO.	DATE	DESCRIPTION

FOR BID	
PROJECT NUMBER	D25-001
SHEET NUMBER	SEE BAR SCALE
DRAWN BY	C. COVIER
DATE ISSUED	FEBRUARY 9, 2026
SHEET DESC.	PLAN & PROFILE - S. COMMERCE STREET STORM SEWER

SHEET TITLE:  
**C105**  
 SHEET NUMBER # 07 of 28









































