WEST BOUNTIFUL CITY

ORDINANCE #473-23

AN ORDINANCE AMENDING TITLE 17 OF THE WEST BOUNTIFUL MUNICIPAL CODE RELATED TO HEIGHT REGULATIONS FOR ACCESSORY STRUCTURES IN RESIDENTIAL ZONES.

WHEREAS, Utah Code Annotated §10-9a-101 et seq., also known as the "Municipal Land Use, Development, and Management Act," grants authority to the West Bountiful City Council to make changes to its Zoning Ordinances; and

WHEREAS, the West Bountiful City Council desires to maintain land use regulations that meet the needs of its residents; and

WHEREAS, it was determined there was a need for modifications to the way rear and side setbacks are calculated when considering the height of residential accessory structures; and

WHEREAS, the West Bountiful Planning Commission held a properly noticed public hearing on June 27, 2023, to consider the proposed modifications; and

WHEREAS, the West Bountiful Planning Commission has recommended adoption of proposed amendments to Titles 17 as described in attached Exhibit A.

NOW THEREFORE BE IT ORDAINED by the city council of West Bountiful City that Title 17 of the West Bountiful Municipal Code be modified as shown in attached Exhibit A.

By:

This ordinance will become effective upon signing and posting.

Adopted this 18th day of July 2023.

Cathy Brightwell, City Recorder

	Kenneth Romney, Mayor
Voting by the City Council: Councilmember Ahlstrom Councilmember Bruhn Councilmember Enquist Councilmember Preece Councilmember Wood	BOUNTIFUL CHARLES OF THE PROPERTY OF THE PROPE
Attest: Caty & Chris	SEAT THE

HEIGHT CHART COMPARISON Current Proposed

New Proposal requires two measurements as shown below

CURRENT R-1-22 ACCESSORY STRUCTURE		
K-1-22	ACCESSO	RYSIKUCIURE
Accessory Structure Height		Side/Rear Setback ¹
	≤ 20 ft	6 ft ²
> 20 ft	≤ 21 ft	7 ft
> 21 ft	≤ 22 ft	8 ft
> 22 ft	≤ 23 ft	9 ft
> 23 ft	≤ 24 ft	10 ft
> 24 ft	≤ 25 ft	11 ft
> 25 ft	≤ 26 ft	11.5 ft
> 26 ft	≤ 27 ft	12 ft
> 27 ft	≤ 28 ft	12.5 ft
> 28 ft	≤ 29 ft	13 ft
> 29 ft	≤ 30 ft	13.5 ft

PROPOSED R-1-22 ACCESSORY STRUCTURE			
Measurement 1 Measureme			Measurement 2
(Roof Pe	eture Height ak and/ or rall)	Min. Side/Rear Setback ¹ at Max. Height of Roof Peak	Min. Side/Rear Setback ¹ at Max. Height of Wall
	≤ 20 ft	6 ft ²	6 ft ²
>20 ft	≤ 21 ft	7 ft	7 ft
>21 ft	≤ 22 ft	8 ft	8 ft
> 22 ft	≤ 23 ft	9 ft	9 ft
> 23 ft	≤ 24 ft	10 ft	10 ft
> 24 ft	≤ 25 ft	11 ft	11 ft
> 25 ft	≤ 26 ft	11.5 ft	11.5 ft
> 26 ft	≤ 27 ft	12 ft	12 ft
> 27 ft	≤ 28 ft	12.5 ft	12.5 ft
> 28 ft	≤ 29 ft	13 ft	13 ft
> 29 ft	≤ 30 ft	13.5 ft	13.5 ft

CURRENT R-10 ACCESSORY STRUCTURE		
Accessory Structure Height		Side/Rear Setback ¹
	≤ 20 ft	6 ft ²
> 20 ft	≤ 21 ft	7 ft
> 21 ft	≤ 22 ft	8 ft
> 22 ft	≤ 23 ft	9 ft
> 23 ft	≤ 24 ft	10 ft
> 24 ft	≤ 25 ft	11 ft

PROPOSED R-1-10 ACCESSORY STRUCTURE			
Acc. Structure Height (Roof Peak and/ or wall)		Min. Side/Rear Setback ¹ at Max. Height of Roof Peak	Min. Side/Rear Setback ¹ at Max. Height of Wall
	≤ 20 ft	6 ft ²	6 ft ²
>20 ft	≤ 21 ft	7 ft	7 ft
>21 ft	≤ 22 ft	8 ft	8 ft
> 22 ft	≤ 23 ft	9 ft	9 ft
> 23 ft	≤ 24 ft	10 ft	10 ft
> 24 ft	≤ 25 ft	11 ft	11 ft

CURRENT		
A-1, A-S ACCESSORY STRUCTURE		
Accessory Structure Height		Side/Rear Setback ¹
	≤ 20 ft	6 ft ²
> 20 ft	≤ 35 ft	10 ft
> 35 ft	≤ 36 ft	11 ft
> 36 ft	≤ 37 ft	12 ft
> 37 ft	≤ 38 ft	13 ft
> 38 ft	≤ 39 ft	14 ft
> 39 ft	≤ 40 ft	15 ft

PROPOSED A-1, A-S ACCESSORY STRUCTURE			
Acc. Structure Height (Roof Peak and/ or wall)		Min. Side/Rear Setback ¹ at Max. Height of Roof Peak	Min. Side/Rear Setback ¹ at Max. Height of Wall
	≤ 20 ft	6 ft ²	6 ft ²
> 20 ft	≤ 35 ft	10 ft	10 ft
> 35 ft	≤ 36 ft	11 ft	11 ft
> 36 ft	≤ 37 ft	12 ft	12 ft
> 37 ft	≤ 38 ft	13 ft	13 ft
> 38 ft	≤ 39 ft	14 ft	14 ft
> 39 ft	≤ 40 ft	15 ft	15 ft

 $^{^{1}\}mathrm{Does}$ not apply to street side yards, which have separate restrictions.

 $^{^{2}\,\}mbox{Setback}$ may be reduced to 3 ft. if adjacent wall is built to fire code standards.