



# FLU SHOT CLINIC

DATE: OCT. 19

TIME: 12:30-3:00p

*High-dose available,  
limited supply*

1st floor GYM

WHERE: Windsor Locks Town Hall

## Accepted Insurance:

AETNA, ANTHEM

CT CARE, CIGNA

HARVARD PILGRIM

HUSKY, MEDICARE

Please:

- Bring copy of insurance card
- Wear short sleeves

## Cash Payment:

\$35.00 - Standard Dose

\$65.00 High Dose

*Can get flu  
shot if recently  
received COVID  
booster.*





NORTH CENTRAL DISTRICT HEALTH DEPARTMENT
2022-2023 SEASONAL INFLUENZA IMMUNIZATION CONSENT FORM

Please print clearly

Name (please print) Date of Birth
Street Address
Town, State & Zip Code Phone #
INSURANCE: MEDICARE AETNA ANTHEM CIGNA CTCARE HARVARD PILGRIM HUSKY
Cash or Check: Are you the subscriber: YES NO
\*If No, Relationship to Subscriber: Spouse Child Other:
Name of Insurance Subscriber:

- 1. Have you ever received a flu vaccine?
2. Are you allergic to eggs or egg products?
3. Are you allergic to thimerosal, neomycin, gelatin, or latex?
4. Are you sick with a fever?
5. Have you ever had a serious reaction to a flu vaccine in the past?
6. Have you ever had Guillain-Bare Syndrome?

I have read, or had explained to me, the information sheet about the influenza vaccine (flu shot), and the agency's privacy policy. I have had a chance to ask questions which were answered to my satisfaction, and I understand the benefits and risks of the vaccination as described. I request that the influenza vaccine be given to me (or to the person named above for whom I am authorized to make this request). I authorize the release of any medical or other information necessary to process an insurance claim. Any amount not covered by insurance company or denied by insurance will be billed to the individual. If a referral from your PCP is required, it is your responsibility to obtain one.

X Signature of Recipient (or parent/guardian) Signature of Person Reading Form (Not Recipient) Date

FOR CLINIC USE ONLY

Nurse's Signature: Date:
Injection Site: Left Arm Right Arm
Manufacturer: GSK Sanofi Seqirus (Flucelvax) Lot#:
Expiration Date: VIS Date: 8/06/2021

# Influenza (Flu) Vaccine (Inactivated or Recombinant): *What you need to know*

Many vaccine information statements are available in Spanish and other languages. See [www.immunize.org/vis](http://www.immunize.org/vis)

Hojas de información sobre vacunas están disponibles en español y en muchos otros idiomas. Visite [www.immunize.org/vis](http://www.immunize.org/vis)

## 1. Why get vaccinated?

Influenza vaccine can prevent influenza (flu).

Flu is a contagious disease that spreads around the United States every year, usually between October and May. Anyone can get the flu, but it is more dangerous for some people. Infants and young children, people 65 years and older, pregnant people, and people with certain health conditions or a weakened immune system are at greatest risk of flu complications.

Pneumonia, bronchitis, sinus infections, and ear infections are examples of flu-related complications. If you have a medical condition, such as heart disease, cancer, or diabetes, flu can make it worse.

Flu can cause fever and chills, sore throat, muscle aches, fatigue, cough, headache, and runny or stuffy nose. Some people may have vomiting and diarrhea, though this is more common in children than adults.

In an average year, **thousands of people in the United States die from flu**, and many more are hospitalized. Flu vaccine prevents millions of illnesses and flu-related visits to the doctor each year.

## 2. Influenza vaccines

CDC recommends everyone 6 months and older get vaccinated every flu season. **Children 6 months through 8 years of age** may need 2 doses during a single flu season. **Everyone else** needs only 1 dose each flu season.

It takes about 2 weeks for protection to develop after vaccination.

There are many flu viruses, and they are always changing. Each year a new flu vaccine is made to protect against the influenza viruses believed to be likely to cause disease in the upcoming flu season.

Even when the vaccine doesn't exactly match these viruses, it may still provide some protection.

Influenza vaccine **does not cause flu**.

Influenza vaccine may be given at the same time as other vaccines.

## 3. Talk with your health care provider

Tell your vaccination provider if the person getting the vaccine:

- Has had an **allergic reaction after a previous dose of influenza vaccine**, or has any **severe, life-threatening allergies**
- Has ever had **Guillain-Barré Syndrome** (also called "GBS")

In some cases, your health care provider may decide to postpone influenza vaccination until a future visit.

Influenza vaccine can be administered at any time during pregnancy. People who are or will be pregnant during influenza season should receive inactivated influenza vaccine.

People with minor illnesses, such as a cold, may be vaccinated. People who are moderately or severely ill should usually wait until they recover before getting influenza vaccine.

Your health care provider can give you more information.



U.S. Department of  
Health and Human Services  
Centers for Disease  
Control and Prevention

---

#### 4. Risks of a vaccine reaction

---

- Soreness, redness, and swelling where the shot is given, fever, muscle aches, and headache can happen after influenza vaccination.
- There may be a very small increased risk of Guillain-Barré Syndrome (GBS) after inactivated influenza vaccine (the flu shot).

Young children who get the flu shot along with pneumococcal vaccine (PCV13) and/or DTaP vaccine at the same time might be slightly more likely to have a seizure caused by fever. Tell your health care provider if a child who is getting flu vaccine has ever had a seizure.

People sometimes faint after medical procedures, including vaccination. Tell your provider if you feel dizzy or have vision changes or ringing in the ears.

As with any medicine, there is a very remote chance of a vaccine causing a severe allergic reaction, other serious injury, or death.

---

#### 5. What if there is a serious problem?

---

An allergic reaction could occur after the vaccinated person leaves the clinic. If you see signs of a severe allergic reaction (hives, swelling of the face and throat, difficulty breathing, a fast heartbeat, dizziness, or weakness), call 9-1-1 and get the person to the nearest hospital.

For other signs that concern you, call your health care provider.

Adverse reactions should be reported to the Vaccine Adverse Event Reporting System (VAERS). Your health care provider will usually file this report, or you can do it yourself. Visit the VAERS website at [www.vaers.hhs.gov](http://www.vaers.hhs.gov) or call 1-800-822-7967. *VAERS is only for reporting reactions, and VAERS staff members do not give medical advice.*

---

#### 6. The National Vaccine Injury Compensation Program

---

The National Vaccine Injury Compensation Program (VICP) is a federal program that was created to compensate people who may have been injured by certain vaccines. Claims regarding alleged injury or death due to vaccination have a time limit for filing, which may be as short as two years. Visit the VICP website at [www.hrsa.gov/vaccinecompensation](http://www.hrsa.gov/vaccinecompensation) or call 1-800-338-2382 to learn about the program and about filing a claim.

---

#### 7. How can I learn more?

---

- Ask your health care provider.
- Call your local or state health department.
- Visit the website of the Food and Drug Administration (FDA) for vaccine package inserts and additional information at [www.fda.gov/vaccines-blood-biologics/vaccines](http://www.fda.gov/vaccines-blood-biologics/vaccines).
- Contact the Centers for Disease Control and Prevention (CDC):
  - Call 1-800-232-4636 (1-800-CDC-INFO) or
  - Visit CDC's website at [www.cdc.gov/flu](http://www.cdc.gov/flu).



## DECLARACIÓN DE INFORMACIÓN DE LA VACUNA

# Vacuna contra la influenza (gripe) (inactivada o recombinante): *Lo que necesita saber*

Many vaccine information statements are available in Spanish and other languages. See [www.immunize.org/vis](http://www.immunize.org/vis)

Están disponibles hojas de información sobre vacunas en español y en muchos otros idiomas. Visite [www.immunize.org/vis](http://www.immunize.org/vis)

### 1. ¿Por qué es necesario vacunarse?

La vacuna contra la influenza puede prevenir la influenza (gripe).

La **gripe** es una enfermedad contagiosa que se propaga cada año en Estados Unidos, generalmente entre octubre y mayo. Aunque cualquiera puede contraer la gripe, es más peligrosa para algunas personas. Los bebés y niños pequeños, personas de 65 años o más, embarazadas y las personas con ciertas enfermedades o sistema inmunitario debilitado tienen un mayor riesgo de sufrir complicaciones de la gripe.

La neumonía, bronquitis, infecciones sinusales e infecciones del oído son ejemplos de complicaciones relacionadas con la gripe. Si tiene un padecimiento médico, como una enfermedad del corazón, cáncer o diabetes, la gripe puede empeorarla.

La gripe puede causar fiebre y escalofríos, dolor de garganta, dolor muscular, fatiga, tos, dolor de cabeza y secreción nasal o congestión nasal. Aunque algunas personas podrían tener vómito y diarrea, esto es más frecuente en niños que en adultos.

En un año promedio, **miles de personas mueren por influenza en Estados Unidos** y muchas más son hospitalizadas. La vacuna contra la gripe previene cada año millones de casos de la enfermedad y visitas al médico relacionadas con la gripe.

### 2. Vacuna contra la influenza

Los CDC recomiendan que todas las personas de 6 meses o más se vacunen en cada temporada de gripe. **En niños de 6 meses a 8 años**, se podrían necesitar 2 dosis durante una sola temporada de gripe. **Todos los demás** necesitan solo 1 dosis cada temporada de gripe.

La protección tarda aproximadamente 2 semanas después de la vacunación.

Hay muchos virus de la gripe y siempre están cambiando. Cada año se produce una nueva vacuna contra la gripe, para proteger contra los virus de la influenza que se cree que probablemente causen enfermedad en la temporada venidera de gripe. Incluso si la vacuna no coincide exactamente con estos virus, todavía brindaría cierta protección.

La vacuna contra la influenza **no causa gripe**.

La vacuna contra la influenza se puede administrar al mismo tiempo que otras vacunas.

### 3. Hable con su proveedor de atención médica

Informe a su proveedor de vacunas si la persona que recibe la vacuna:

- Ha tenido una **reacción alérgica después de recibir una dosis previa de la vacuna contra la influenza** o si ha tenido cualquier **alergia severa y potencialmente mortal**.
- Alguna vez ha tenido el **Guillain-Barré Syndrome** (también llamado "GBS")

En algunos casos, su proveedor de atención médica podría decidir que se posponga la vacunación contra la influenza hasta una visita futura.

La vacuna contra la gripe se puede administrar en cualquier momento durante el embarazo. Las personas que están o estarán embarazadas durante la temporada de influenza deben recibir la vacuna inactivada contra la influenza.

Se puede vacunar a personas con enfermedades leves, como el catarro común. Las personas con enfermedad



moderada o grave usualmente deben esperar hasta recuperarse para recibir la vacuna contra la influenza.

Su proveedor de atención médica puede proporcionarle más información.

---

#### **4. Riesgos de una reacción a la vacuna**

---

- Podría haber dolor, enrojecimiento e hinchazón en el sitio de la inyección, fiebre, dolor muscular y dolor de cabeza después de recibir la vacuna contra la influenza.
- Es posible un aumento muy pequeño del riesgo de contraer el Guillain-Barré Syndrome (GBS) después de recibir la vacuna inactivada contra la influenza (la vacuna contra la gripe).

Los niños pequeños que reciben juntas la vacuna contra la gripe y la vacuna antineumocócica (PCV13) y/o la vacuna DTaP podrían tener probabilidades levemente mayores de convulsiones causada por la fiebre. Informe a su proveedor de atención médica si un niño que recibe la vacuna contra la influenza ha tenido convulsiones alguna vez.

En algunos casos, las personas se desmayan después de procedimientos médicos, incluidas las vacunaciones. Informe a su proveedor de atención médica si se siente mareado o si tiene cambios en la visión o zumbido en los oídos.

Al igual que con cualquier medicina, hay probabilidades muy remotas de que una vacuna cause una reacción alérgica grave, otra lesión grave o la muerte.

---

#### **5. ¿Qué hago si ocurre algún problema grave?**

---

Podría ocurrir una reacción alérgica después de que la persona vacunada deje la clínica. Si observa signos de una reacción alérgica grave (ronchas, hinchazón de la cara y garganta, dificultad para respirar, latidos rápidos, mareo o debilidad), llame al 9-1-1 y lleve a la persona al hospital más cercano.

Llame a su proveedor de atención médica si hay otros signos que le preocupan.

Spanish translation provided by the Immunization Action Coalition

Las reacciones adversas se deben reportar al Vaccine Adverse Event Reporting System, VAERS (Sistema para reportar reacciones adversas a las vacunas). Es usual que el proveedor de atención médica informe sobre ello, o también puede hacerlo usted mismo. Visite el sitio web de VAERS en [www.vaers.hhs.gov](http://www.vaers.hhs.gov) o llame al 1-800-822-7967. *El VAERS es solo para informar sobre reacciones y el personal de VAERS no proporciona consejos médicos.*

---

#### **6. Programa nacional de compensación por lesiones ocasionadas por vacunas**

---

El National Vaccine Injury Compensation Program, VICP (Programa nacional de compensación por lesiones ocasionadas por vacunas) es un programa federal que se creó para compensar a las personas que podrían haber experimentado lesiones ocasionadas por ciertas vacunas. Las reclamaciones relativas a presuntas lesiones o fallecimientos debidos a la vacunación tienen un límite de tiempo para su presentación, que puede ser de tan solo dos años. Visite el sitio web de VICP en [www.hrsa.gov/vaccinecompensation](http://www.hrsa.gov/vaccinecompensation) o llame al 1-800-338-2382 para obtener información acerca del programa y de cómo presentar una reclamación.

---

#### **7. ¿Dónde puedo obtener más información?**

---

- Consulte a su proveedor de atención médica.
- Llame a su departamento de salud local o estatal.
- Visite el sitio web de la Food and Drug Administration, FDA (Administración de Alimentos y Medicamentos), para consultar los folletos informativos de las vacunas e información adicional en [www.fda.gov/vaccines-blood-biologics/vaccines](http://www.fda.gov/vaccines-blood-biologics/vaccines).
- Comuníquese con los Centers for Disease Control and Prevention, CDC (Centros para el Control y Prevención de Enfermedades):
  - Llame al 1-800-232-4636 (1-800-CDC-INFO) o
  - Visite el sitio web de los CDC en [www.cdc.gov/vaccines](http://www.cdc.gov/vaccines).

